



INDIA CEILINGS



INTRODUCTION

Elevating Spaces with Precision, Performance & Aesthetic Vision

At India Ceilings, we redefine interior spaces through cutting-edge ceiling solutions that seamlessly combine style and utility. Our versatile range includes elegant Stretch Ceilings and robust Metal False Ceilings — each designed to meet the highest standards of quality, aesthetics and durability.

Driven by a commitment to innovation and a deep understanding of architectural demands, our solutions elevate interiors by enhancing visual impact and practical performance — transforming ordinary spaces into extraordinary experiences.

Whether you're crafting a bold design statement or refining the finer details of a sophisticated interior, India Ceilings delivers tailored solutions that bring your vision to life with exceptional precision and style.

INDEX

STRETCH CEILINGS


|

- Illuminated Stretch Ceilings
- LED Luminaire
- Stretch Print
- Wall-Tex

METAL CEILINGS

6

- Baffle Ceilings
- Open Cell Ceilings
- Triangular Open Cell Ceilings
- Clip-in Ceilings
- Lay-in Ceilings





STRETCH CEILINGS

Upgrade your interiors with our premium Stretch Ceiling System, a modern and stylish suspended ceiling solution. Designed with two key components—a durable perimeter track and a lightweight fabric membrane—India Ceilings' Stretch Ceilings system offers a sleek, seamless finish.

Stretch Ceilings can be enhanced with LED lighting, creating an elegant and customisable ambience. The membrane is securely fixed using our proprietary background support, ensuring stability and a flawless appearance. Ideal for residential, commercial and hospitality spaces, this system provides a contemporary look with practical benefits, such as improved acoustics and easy maintenance.

- Sleek & Seamless Design
- Customisable with driverless LED lights
- Durable & Easy to Maintain
- Ideal for Homes, Offices & Commercial Spaces

Transform your space with the innovation and elegance of our Stretch Ceiling Systems.



ILLUMINATED STRETCH SYSTEM

The lightweight stretch fabric enables bold, vibrant and dynamic lighting effects when paired with translucent materials for backlighting. Its excellent light transmission ensures an evenly diffused glow, while allowing for easy installation.



CUSTOMISED LED LUMINAIRES FOR ENHANCED SPACES

Our stretch ceiling materials are ideal for designing vibrant, evenly illuminated luminaires that combine style and efficiency. Powered by our advanced LED Modular System, they offer seamless illumination, superior energy efficiency, long-lasting performance and reliable operation.


We offer complete solutions including design, fabrication and installation of bespoke illuminated luminaires, especially suited for high ceilings and distinct architectural settings.

AVAILABLE GEOMETRIES

Round: **Full Circle, Half Circle, Oval, Triangle, Polygon, Hexagon, Rectangle/ Square (Sharp or Rounded Edges)**


Diameter: 600mm – 6000mm

Hanging accessories included



STRETCH PRINT TECHNOLOGY

We deliver the next generation of digitally printed imagery, seamlessly applied directly onto stretch membranes. Utilising state-of-the-art large-format printing technology, our UV Inkjet process produces high-resolution images with stunning vibrancy and exceptional detail. With a printing width of 3.2 meters, we can also seam-weld panels for expansive, large-scale applications.



WALL-TEX

Wall-Tex offers an easy and effective alternative to traditional wallpaper. Whether you prefer solid colours, elegant vignettes or high-resolution printed images, our opaque and translucent textile panels will completely transform your walls with stunning visual appeal.



METAL CEILINGS

The metal ceilings industry has experienced significant growth, driven by increasing demand for durable, aesthetically pleasing and high-performance ceiling solutions. Our metal ceilings offer a versatile alternative to traditional materials, providing superior fire resistance, acoustics and ease of maintenance. With advancements in manufacturing technology, we offer a wide range of finishes, patterns and materials—such as aluminium, galvanised steel and perforated panels—designed to meet the needs of commercial, industrial and residential spaces. From enhancing architectural designs to improving indoor environmental quality, metal ceilings continue to shape modern construction and interior design trends.



BAFFLE CEILINGS


Metal Baffle Ceilings are a suspended ceiling system made of vertical metal panels—called baffles—arranged in linear or patterned layouts beneath a structural ceiling. Designed primarily for visual and spatial impact rather than sound absorption (non-acoustic), they offer a refined balance of aesthetics, architectural flexibility and functional accessibility.

Commonly used to mask ceiling services in the plenum, metal baffles allow easy maintenance access, making them ideal for commercial and industrial spaces. India Ceilings provides a wide range of high-performance baffles in various sizes and shapes to suit diverse needs.

Constructed from extruded or folded aluminium or galvanised iron, each baffle features a durable 60-micron powder-coated finish, available in multiple colours to match design preferences.

Suspended via carrier rails or modular grids, baffles can be configured at custom depths, intervals, lengths, and orientations, enabling scalable application across different building types and ceiling heights.





KEY FEATURES


- Versatile Hanging System: Supports vertical or horizontal suspension for seamless architectural integration
- Lightweight Design: Minimises structural load while ensuring durability
- Multiple Size Options: Available in **25x100, 25x150, 50x75, 50x100 and 50x150 mm**
- Modular & Sculptural: A design tool for impactful, brand-aligned ceiling environments
- Custom Finishes: Sleek profiles with customisable colours for modern interiors

India Ceilings' Metal baffle ceilings are not just a ceiling solution—they are a design tool. Their sculptural quality and modularity make them ideal for creating impactful overhead environments that support both brand identity and spatial experience. Their sleek design and customisable colour options make them a stylish addition to modern interiors.

COMMON APPLICATIONS

- Corporate Office
- Airports & Transit Hubs
- Commercial Spaces & Retail Stores
- Educational Institutions
- Hospitality Industry
- Healthcare Facilities
- Public Buildings
- Industrial Facilities






OPEN CELL CEILINGS

Aluminium Open Cell Ceiling Tiles are designed for 15mm T Grids but can also be installed without a grid system. Tiles can be easily removed by lifting them out of the grid for convenient access.

Our advanced Lock-in System features open-cell panels without frames or borders, seamlessly connecting through a simple Main & Cross locking mechanism. When a grid system is not required, this system provides architects and designers with enhanced flexibility, supporting custom sizes and a wide range of colours.





TECHNICAL DETAILS

- Standard Module Cell Size: **75mm x 75mm, 100mm x 100mm, 150mm x 150mm, 200mm x 200mm, 300mm x 300mm**
- Web Height: **50mm**
- Width: **15mm**
- Thickness: **0.35mm G.I./ 0.45mm Aluminium**
- Finish: Powder coated (epoxy polyester paint) and limitless colours
- Dimensions: Customised dimensions are also available after factory confirmation
- Substrate: Aluminium Alloy/ Galvanised Steel
- T Grid:
 - Main Runner — **3600mm x 15mm x 32mm x .030mm**
 - Cross Tee — **1200mm x 15mm x 26mm x 0.30mm**
 - Cross Tee — **600mm x 15mm x 26mm x 0.30mm**
 - Wall Angle — **3000mm x 15mm x 15mm x 0.40mm**

ADVANTAGES

- Easy Access
- Modern Look
- Flexible Lighting Options
- Improved Ventilation
- Customisable Designs
- Variety of Sizes
- Eco-Friendly


COMMON APPLICATIONS

- Commercial Offices
- Airports & Transportation Terminals
- Retail Stores & Shopping Malls
- Hospitality Spaces
- Exhibition Halls & Convention Centres
- Educational Institutions
- Public Buildings & Government Offices
- Industrial & Tech Facilities



TRIANGULAR OPEN CELL CEILINGS

Aluminium Triangle Open Cell Ceiling Tiles are high performance and soothing style of metal ceiling is all that you need to give the room the stylish makeover you've dreamed of. Ideal for multiple set ups and buildings, this interior metal ceiling system comes in standard sizes with a powder-finish coating and is safety and security compliant.



TECHNICAL DETAILS

- Standard Tiles Size: **595mm x 595mm**
- Standard Module Cell Size: Right-angle triangle
- Thickness: **0.35mm**
- Web Height: **50mm**
- Width: **15mm**
- Finish: Powder coated (epoxy polyester paint) and different colours
- Dimensions: Other customised dimensions also available as per factory confirmation
- Substrate: Aluminium alloy

ADVANTAGES

- Easy Access
- Modern Look
- Flexible Lighting Options
- Improved Ventilation

APPLICATIONS

- Double Height Porticos
- Modern Commercial Offices
- Airports & Transit Stations
- High-End Retail Spaces
- Hospitality Interiors
- Art Galleries & Cultural Venues
- Tech Parks & Innovation Hubs
- Auditoriums & Educational Atriums
- Reception Areas & Showrooms




CLIP-IN CEILINGS

The Clip-in False Ceiling System uses **600mm x 600mm** tiles made from either 0.50mm polyester coil-coated galvanised steel (with **120 GSM** zinc coating) or **0.7mm** aluminium (AA5050, AA3105, or AA1050 alloys) powder-coated with **60-microns** of polyester paint.

TILE DESIGN & COATING

- Available with square or bevelled edges
- Coil-coated steel tiles have a **20-micron** polyester top coat and an **8-micron** alkyd primer back coat
- Two sides of each tile are raised, piped and stopped to lock into the spring Clip-in profile, allowing secure installation and easy demounting
- Finish of the Tile: Tiles are available in plain and perforation of **1.8mm**, **2.2mm** and **2.5mm**.





WALL ANGLE/ EDGE PROFILE

- Size: **24mm x 24mm**, thickness **0.4mm**
- Made from coil/powder coated steel or aluminium, matching the tile colour for a seamless finish

This system delivers a durable, aesthetically refined, and easy-to-maintain ceiling solution, suitable for a range of applications.

Suspension System Option: A hanger and butterfly clip can replace the suspension angle for added installation flexibility



SUSPENSION SYSTEM

- Clip-in profiles (**0.5mm** galvanised steel), in **40x17mm** or **34x24mm**, spaced at **600mm c/c**
- Suspension angles, fixed to the roof with GI Ceiling Brackets
- Hold-on clamps connect angles to Clip-in profiles
- Pressure clips hold tiles or planks securely

COMMON APPLICATIONS

- Corporate Offices
- Hospitals & Healthcare Facilities
- Airports & Transit Facilities
- Educational Institutions
- Commercial Buildings & Malls
- Hotels & Hospitality Venues
- Industrial & Cleanroom Environments
- Public Sector Buildings



CLIP IN SWING DOWN SYSTEM


The Clip-In System is a premium metal ceiling solution featuring swing-down tiles for easy access and maintenance. Designed for modern interiors, it offers a balance of functionality and sleek aesthetics, making it ideal for commercial, healthcare, institutional and public spaces.

TILE SPECIFICATIONS

- Tile Size: **600mm x 600mm**
- Tile Type: Swing-down, clip-in mechanism

MATERIAL OPTIONS

- Galvanised Steel Tiles
 - Made from **0.50mm** thick polyester coil-coated steel
 - Zinc coating options: **100 GSM or 200 GSM**
 - Optional **60-micron** polyester powder coating for enhanced durability
- Aluminium Tiles
 - Fabricated from **0.70mm thick** aluminium sheets
 - Coated with a **60-micron** polyester powder paint finish





COMMON APPLICATIONS

- Corporate Offices
- Healthcare Facilities
- Educational Institutions
- Airports & Transit Hubs
- Retail & Commercial Spaces
- Hospitality Industry
- Industrial & Cleanroom Environment
- Government & Public Buildings

DESIGN FINISH

- Edge Options: Bevelled or straight edges
- Surface Finish (Galvanised Steel):
 - Front: **20-micron** polyester-coated finish
 - Back: 8-micron alkyd primer coating
- Perforation Options:
 - Available in plain or perforated designs
 - Perforation diameters: **1.8mm, 2.2mm, 2.5mm**

KEY BENEFITS

- Sleek, seamless appearance with concealed grid system
- Easy swing-down access for maintenance of services
- Highly durable and corrosion-resistant
- Acoustic performance with perforated tiles (optional)
- Low maintenance and long-lasting finish



CLIP-IN TILE LOCKING SYSTEM

The Clip-In Tile Locking System is a precision-engineered ceiling solution designed for secure installation, clean aesthetics and easy maintenance. Each tile features two raised and piped edges that securely lock into spring-loaded clip-in profiles, allowing for easy swing-down access when required.


SUSPENSION SYSTEM

- **Clip-In Profiles**

Made from **0.50mm** galvanised steel, available in two sizes: **40mm x 70mm** and **34mm x 24mm** that is installed at **600mm c/c** spacing for optimal support.

- **C Channels:** Galvanised steel C Channels measuring **10mm x 38mm x 10mm**, Length: **3600mm**, spaced at **1200mm centers**, fixed securely using suspension angles.

- **Suspension Angles & Alternatives:** Attached to the roof structure with GI Ceiling Brackets.
For flexible installations, a rod hanger with butterfly clip can be used in place of the suspension angle.





WALL ANGLE/ EDGE PROFILE:

- Dimensions: **24mm x 24mm**
- Material: **0.4mm thick** coil-coated white sheet
- Finish: Colour-matched to ceiling tiles for a cohesive look



ADVANTAGES

- Secure Locking Design
- Easy Swing-Down Access
- Durable Construction
- Sleek & Modern Aesthetics
- Customisable Installation Options

COMMON APPLICATIONS

- Hospitals & Healthcare Facilities
- Commercial Offices
- Airports & Transportation Terminals
- Educational Institutions
- Retail Stores & Shopping Malls
- Industrial & Cleanroom Environments
- Government & Public Sector Buildings
- Hospitality Interiors



LAY-IN CEILINGS

The Lay-in Ceiling System is designed to deliver a clean, modern finish for commercial and institutional interiors. Featuring precision-engineered steel or aluminium tiles, each tile measures **595mm x 595mm**, offering a perfect modular fit with exceptional durability.


KEY HIGHLIGHTS

- Quick and clean installation with exposed grid
- Aesthetically versatile — choose between square or bevelled edge tiles
- Durable finish options for long-lasting performance
- Acoustic enhancement available through perforated tile options

COMMON APPLICATIONS

- Commercial Offices
- Educational Institutions
- Healthcare & Laboratories
- Airports & Transit Facilities
- Retail Stores & Shopping Malls
- Hospitality Spaces
- Industrial & Tech Facilities
- Government & Public Buildings





TECHNICAL SPECIFICATIONS

Material Options:

- **Galvanised Steel: 0.5mm thick**, coil-coated or powder-coated with a **120 GSM** zinc coating
- **Aluminium Alloy (AA5050/AA3105/AA1050): 0.7mm thick**, powder-coated with 60µ polyester paint

Edge Types: Square or Bevelled

Finish & Grid System

Steel Tiles feature a **20µ polyester front coating** and a **5µ alkyd primer back coating**, and are available in plain or perforated designs with **1.8mm and 2.5mm** perforations for enhanced acoustic performance.

Engineered for easy installation and structural stability, the exposed metal grid system includes:

- **Main Runners: 32mm or 38mm high**
- **Cross Tees: 26mm high**, available in **600mm or 1200mm** lengths
- **Bayonet couplings** for tool-free assembly
- **Suspension:** GI wire rods with adjustable hangers (max spacing: **1200mm c/c**)
- **Anchoring:** Expansion fasteners secure hangers to the roof

Wall Angles: 24mm x 24mm x 0.35mm coil-coated steel, colour-matched to the tiles for a cohesive, seamless appearance.



INDIA CEILINGS

Phone Number: +91 79808 09423 | E-mail: enquiries@indiaceilings.com